Applications Laboratory

Radio & Electronic Components Division Brimsdown, Enfield, Middlesex.

Subject: General

1st February, 1960 Date:

6-S2P20-0-1 TDS No.

											
	VALVE	TYPE S2P	20 JEDEC Type	7973							
DIMENSIONS	mm	TYPE Special Quality Beam Tetrode									
OVERALL LENGTH MAX	67.5		Directly heated								
DIAMETER MAX	22.2	USE	R.F. Power Amplifi	er up to 100Mc/s where							
SEATED HEIGHT MAX			dependable performance is re								
			shock and vibration conditions.								
		RATING. A		NOTE							
Filament Voltage			(v)	2.5 5.0							
Filament Current			(A)	0.46 0.23							
Maximum Anode Dissipation (W) 5											
Maximum Screen Dissipation (%) 2											
Maximum Anode Voltage (V) 150											
Maximum Screen Voltage (V) 150											
Maximum Operating Frequ			(Mc/s)	100							
Maximum Shock (short du	500										
Maximum Acceleration (c	ontinuous	s operation	(g)	2.5							
NOTES :-											
CAPACITANCES PF	[BASE E9- 1	Bulb T61/2	CAP							
ELECTRODES *	1 5 2 2 5 T	PIN ELECTRO	DE A								
g1 TO E 8.5		1 a		5							
a 70 E 6.6		2 NC		4 6							
a TO g1 <017	Tanga 2	3 pb	☐ bp /	1 ./							
то		4 f	92	3/0000 \7							
ТО		5 f+	91								
то		6 g2	→	2\000/8							
то	12 2 2 2 E	7 g1	_ \\\								
TO		वर्ष ह	k'	1 9							
то	- E & B B B	9 fc t	IP Chap								
ТО		l		VIEW OF FREE END							
MOUNTING POSITION:- Unite	stricted		Basing 9L								
				1							
	TYPICA	L OPERATI	ON.								
			/ \	-							
Filament Voltage	• • • •		· · · · ›› \ \ \ \ \ \ \ \ \ \ \ \ \ \ \								
Anode Voltage		• • • • •	$\cdot \cdot \cdot \cdot \langle v \rangle \cdot \cdot \cdot$	150							
Screen Voltage		• • • • •	$\cdot \cdot \cdot \cdot \langle \Lambda \rangle \cdot \cdot \cdot$	150							
Control Grid Voltage .		• • • • •	· · · · (V) · · ·	-10							
Beam Plates Voltage .	• • • •	• • • • •	\cdots	0							
Anode Current		• • • • • •	(mA)	28							
Screen Current		• • • • •	(mA) (mA).	2							
Mutual Conductance	• • • •		\dots (mA/V).	4.3							

from JEDEC release #3143, Feb. 13, 1961

Interelectrode capacitances in fully shielded socket without can and skirt.

All limiting values are Absolute Values not Design Centres.

T1687

ASSOCIATED ELECTRICAL INDUSTRIES LIMITED

Applications Laboratory

Radio & Electronic Components Division JEDEC Type 7973

Brimsdown, Enfield, Middlesex.

Su

ect: General		DII	1800=	, r		eru,	<u>kidui</u>	CSCA		Date OS No				uary, 196 0-2
	TYPICAL (opera	TION	AS	CLA	ss c	POWER	AMPI	JFI	ER AT	70	Mc/	<u>8</u>	
Anode Voltage Screen supply Screen feed a Anode Current Control grid Control grid Grid bias res R.F. Power ou	y voltage resistor. Current. voltage sistor		• •	• •		• •	(kΩ). (mA). (MA). (V). (kΩ).					• •	•	150 150 3.9 40 1 -22 22

ASSOCIATED ELECTRICAL INSUSTRIES LIMITED

Applications Laboratory

Radio & Electronic Components Division Brimsdown, Enfield, Middlesex. JEDEC Type 7973

Subject: Limits of

Characteristics ΔΔ

Date:

29th January, 1960

TDS No. 6-52P20-0-3

Characteristics						TUS NO.	2-322		
Test		ondi	tion	.s		Life	Lin	Units	
					Vh.	Period	Min Max		*****
	(v)	(v)	(₹ ²)	(₹)	(A)				
Filament Current	5	-	-	~	-	Initial	0.21	0.25	A
Anode Current	5	150	150	-10	0	Initial	21	35	mA.
Screen Current	5	150	150	-10	0	Initial	•	4	mA
Mutual Conductance	5	150	150	-10	0	Initial	3.2	5.4	mA_/V
Grid No.1 Cut-off Voltage(Ia = 2mA)	5	150	150	-	0	Initial	-	- 25	V
Peak Anode Current† Va(b) =120V, RL= 320Ω, Vsig=20Vrm.sRg1=22kΩ		•	120	•	0	Initial 250 hrs	110 100	-	mA mA
Change in Peak Au sde Current	4.5	-	120	-	0	Initial	-	25	m A
Change in Peak Anode Current	5	-	120	-	0	Initial to 1 hr	-	20	Я
Reverse Grid Current	5	150	150	- 10	0	Initial 250hrs	-	2 4	А ц Ац
T. A T A J. T Ill D A	Ĺ								
Interelectrode Leakage Resistano V _{g1} to all =-100V	0	_	_	-	_	Initial	-	100	MΩ
, g, 05 all = 1551	•					250hrs	-	50	MU
V _{g2} to all =-300V	0	-	-	-	-	Initial	-	100	MΩ
3-	ĺ					250hrs	-	50	MΩ
Va to all =-300V	0	-	-	-	-	Initial	-	100	MΩ
v						250hrs	-	50	МΩ
V _{bp} to all =-300V	0	-	-	_	•	Initial 250hrs	•	100 50	MU MU
Vibration Noise Output Voltage Δ $V_{a}(b) = 150V$, $R_{L} = 2k\Omega$	5	-	150	- 10	0	Initial	•	500	_
Life Test Conditions Adjust Grid No1 Voltage to give Ia=33mA	5 V	.150 .s	150	-	o				
Capacitances Measured in fully shielded socket, without can and skirt.		ectr	oles		o E to E to g1		6.5 5.6	10.5 7.6 0.17	pr pr

^{*} Voltages measured with respect to filament negative (pin 4)

[†] All power supplies shall have negligible impedance to operating frequency. Grid signal impedance shall be less than 5 ohms: voltage sinusoidal.

A Preheat for 15 mins before test at Anode Current test conditions.

The test limits are for guidance in equipment design. The quality is controlled statistically to ensure that only a small percentage are outside these limits. The quality control levels are related to the importance of the characteristic being tested.

T1687

ASSOCIATED RIPCTRICAL INDUSTRIES LIMITED

Applications Laboratory

JEDEC Type 7973 Radio & Electronic Components Division

Subject:

Brimsdown, Enfield, Middlesex

Special Tests.

Date: 1st February, 1960

TDS No. 6-82P20-0-5

SPECIAL TESTS

Glass Envelope Strain Test

A statistical sample is tested to control glass quality. No voltages are applied to the electrodes.

The valves are completely immersed in boiling water at a temperature between 97°C and 100°C for 15 seconds and then immediately plunged into ice cold water for 5 seconds. The valves are then examined for glass cracks.

Base Strain Test.

A statistical sample is tested to control base strain. No voltages are applied to the electrodes.

The pins of the valves are forced over a specified cone, valves and cones are then completely submerged in boiling water at a temperature between 97°C and 100°C for 10 seconds. The valves and cones are allowed to cool to room temperature on a wooden support before examining for glass cracks.

Fatigue Tests

A statistical sample is tested to control heater failures and other mechanical defects. The heaters are successively run at 5V rms for 1 minute and switched off for 3 minutes, no other voltages applied.

The valves are rigidly mounted on a vibrating machine and vibrated for at least 100 hours, for not less than 30 hours in each of 3 mutually perpendicular planes at a frequency of 170 c/s with a minimum peak acceleration of 5 g.

Shock Test

A statistical sample is tested to control mechanical defects likely to be caused by shock. No voltages are applied to the electrodes.

The valves are subjected to 5 blows of approximately 500 g acceleration in each of 4 directions.

Holding Period Inoperatives Control.

After completing the test specification the valves are held for at least 28 days and are then retested to ensure that there has been no deterioration on storage.